

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S139	21037	((709/205,206,203) or (715/752)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S140	11512	((e\$1mail OR (electronic ADJ mail)) AND S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S141	27503	database NE AR2 entry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S142	892	(database NE AR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S143	62	S142 AND S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S144	7	S143 AND (counter WITH increment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S145	24	S143 AND spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S146	84	S142 AND (counter WITH increment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S147	9	S146 AND spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S148	3008	rou\$3 ADJ loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47

S149	3	S148 SAME spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S150	11	S142 SAME (counter WITH increment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S151	8	S146 AND ((spam OR bulk OR un\$1 wanted OR un\$1 desir \$5) WITH (mail OR e\$1 mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S152	26	(database NEAR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP)) SAME counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S153	28037693	@ ad<"20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S154	6	S152 AND S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S155	85	(database NEAR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP)) AND (counter WITH (increas \$4 OR increment\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S156	1	S140 AND S155 AND S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S157	16	S148 AND spam	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S158	9	(database NEAR2 entry) SAME (counter WITH (increas\$4 OR increment\$4)) SAME threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S159	2	("7145875").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47

S160	22	("20010005678" "20010006897" "20010041579" "5579372" "5768509" "5903726" "5930239" "5987323" "6101393" "6108325" "6108559" "6125281" "6175743" "6223045" "6259925" "6289223" "6301484" "6400942" "6563830" "6795708" "6865191").PN. OR ("7145875").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S161	5021	allison.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S162	48	allison.in. AND Tekelec.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S163	3	S162 AND (count WITH exceeds) AND SMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S164	2503	number portability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S165	11	number portability WITH loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S166	11	number portability AND routing loops	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S167	650	routing loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S168	11	S164 AND S167	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47

S169	3	(US-20010041579-\$ or US-20050044154-\$ or US-200401814581-\$ or US-20060031483-\$).did. or (US-7145875-\$ or US-6400942-\$ or US-6819932-\$ or US-7149778-\$ or US-6965919-\$ or US-6868436-\$ or US-6249805-\$ or US-6052458-\$).did. or (WO-2071234-\$).did. or (WO-200271234-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/25 19:47
S170	2	S169 AND loop\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S171	1	S167 SAME SMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S172	42	S167 AND SMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S173	6	number portability AND S172	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S174	36	S172 NOT S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S175	90	(detect\$3 OR prevent\$4) routing loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S176	10	S175 AND SMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S177	18	(routing loop).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S178	2	("5371732").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S179	8	("5371732").URPN.	USPAT	OR	ON	2010/02/25 19:47

S180	24	("20020120837" "5034945" "5101348" "5321812" "5371732" "5583991" "5710885" "5732086" "5784557" "5862129" "5870386" "5881243" "6038600" "6041049" "6081511" "6202114" "6205122" "6360260" "6857027").PN. OR ("6950870").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S181	430	(detect\$3 OR prevent\$4) SAME (routing NEAR2 loop \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S182	95	S181 AND threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S183	6	S181 AND (threshold WITH (source AND destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S184	14	S181 AND (threshold SAME (source AND destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S185	15	S181 AND (threshold SAME ((source OR sender) AND (destination OR target)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S186	1	S185 NOT S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S187	2	trigg\$6 NEAR3 (routing NEAR2 loop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S188	36	(trigg\$6 OR alarm\$5 OR indicat\$4) NEAR3 (routing NEAR2 loop\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47

S189	5	(US-20010041579-\$ or US-20050044154-\$ or US-20040181581-\$ or US-20060031483-\$ or US-20050063311-\$).did. or (US-7145875-\$ or US-6400942-\$ or US-6819932-\$ or US-7149778-\$ or US-6965919-\$ or US-6868436-\$ or US-6249805-\$ or US-6052458-\$ or US-6879594-\$ or US-5371732-\$).did. or (WO-2071234-\$).did. or (WO-200271234-\$ or US-20050063311-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/25 19:47
S190	3	S189 AND loop\$5 AND time \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S191	2	S189 AND loop\$5 AND time \$4 AND count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S192	1	S189 AND loop\$5 AND time \$4 AND count\$3 AND threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S193	208	number portability SAME SMS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S194	86	number portability SAME (SMS AND short ADJ message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S195	3	(US-7145875-\$ or US-6819932-\$ or US-6052458-\$ or US-6879594-\$ or US-5371732-\$ or US-6885872-\$ or US-6633764-\$).did. or (WO-2071234-\$).did.	USPAT; EPO	OR	ON	2010/02/25 19:47

S196	50	("20020015403" "20020029189" "20020112014" "20020167909" "20030083078" "20030118027" "20030202521" "20040032856" "5351235" "5621727" "5768509" "5887249" "5894478" "6208870" "6230009" "6240293" "6327267" "6366663" "6421437" "6535746" "6560226" "6594254" "6658260" "6738630" "6772267").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S197	3	S196 AND (spam OR (routing NEAR2 loop\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S198	7204	((370/230.1,229,217) or (455/466)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S199	95	number portability AND S198	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S200	18	S198 AND routing loops	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/25 19:47
S201	322068	(mail OR e\$1mail OR (electronic ADJ (mail OR message)) (source OR sender OR IP OR address) (count OR counter) (increment\$4 OR increase\$5 OR add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/02/25 19:47
S202	7879	S201 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir \$5) WITH (mail OR e\$1mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S203	1983	S201 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir \$5) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47

S204	139	S201 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir\$5) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time)) SAME threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S205	44	S204 AND @ad<"20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S206	3	S205 AND time\$1stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S207	21037	((709/205,206,203) or (715/752)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S208	11512	(e\$1mail OR (electronic ADJ mail)) AND S207	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S209	322068	(mail OR e\$1mail OR (electronic ADJ (mail OR message)) (source OR sender OR IP OR address) (count OR counter) (increment\$4 OR increase\$5 OR add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/02/25 19:47
S210	139	S209 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir\$5) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time)) SAME threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S211	44	S210 AND @ad<"20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S212	139	S209 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir\$5) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time)) SAME threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S213	80	S209 SAME ((spam OR bulk OR un\$1wanted OR un\$1desir\$5) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time)) SAME threshold AND S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47

S214	31	S210 AND @ad<"20040220" AND S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S215	81	gerezegher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S216	14	time?stamp WITH (mail OR e? mail) WITH message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S217	0	time?stamp WITH (mail OR e? mail) WITH message SAME source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S218	471	(context OR location) NEAR2 based NEAR3 (search\$4 OR quer\$4) SAME (mobile OR hand\$1held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S219	10	S218 SAME social	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S220	1	("7092821"),PN. AND location	USPAT	OR	ON	2010/02/25 19:47
S221	1	("7092821"),PN. AND (location SAME device)	USPAT	OR	ON	2010/02/25 19:47
S222	13	(social NEAR2 network) SAME (location OR context) SAME (search OR POI OR (point NEAR2 interest))	USPAT	OR	ON	2010/02/25 19:47
S223	55121	((707/2-5,10) or (709/203,219,224)),CCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2010/02/25 19:47
S224	129	(social NEAR2 network) AND (location OR context) SAME (search OR POI OR (point NEAR2 interest))	USPAT	OR	ON	2010/02/25 19:47
S225	42	(social NEAR2 network) AND (location OR context) SAME (search OR POI OR (point NEAR2 interest)) AND S223	USPAT	OR	ON	2010/02/25 19:47
S226	75	array NEAR2 time\$1stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S227	3	S226 SAME (loop OR spam OR junk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47

S228	92	array NEAR2 timestamps	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S229	5	S228 AND (spam OR (route\$4 NEAR3 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S230	3	((array OR stack) NEAR2 timestamp) SAME2 (spam OR (route\$4 NEAR3 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S231	3	((array OR stack) NEAR2 timestamp) SAME3 (spam OR (route\$4 NEAR3 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S232	8	((array OR stack) NEAR2 timestamp) AND (spam OR (route\$4 NEAR3 loop))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S233	92	array NEAR2 timestamps	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S234	22	array NEAR2 timestamp SAME (compare\$4 OR remove\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S235	9	array NEAR2 timestamp SAME2 (compare\$4 OR remove\$4) AND counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S236	1	array NEAR2 timestamp SAME2 (counter SAME garbage NEAR collect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S237	18	array NEAR2 timestamp SAME2 (counter OR (garbage NEAR collect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S238	1	"20040199592".pn. AND time \$1 stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S239	1	"20040199592".pn. AND (time \$1 stamp SAME counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S240	21037	((709/205,206,203) or (715/752)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S241	12	((array OR queue OR stack OR container) NEAR2 timestamps AND S240	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S242	51	(spam OR junk OR unwanted) NEAR2 (mail OR email) AND (counter WITH (source OR destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47

S243	26	S242 AND (time NEAR2 (window OR frame OR slot OR threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S244	31	S242 AND (time WITH (window OR frame OR slot OR threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S245	1	S244 AND @ad<"20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S246	1	S244 AND @ad<"20040220" AND cycle AND (periodic\$4 NEAR2 clear\$4) AND ((reduc \$4 OR decrement\$4) WITH count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S247	31	S242 AND (time WITH (window OR frame OR slot OR threshold OR cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S248	322068	(mail OR e\$1mail OR (electronic ADJ (mail OR message)) (source OR sender OR IP OR address) (count OR counter) (increment\$4 OR increase\$5 OR add\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/02/25 19:47
S249	15	S248 SAME ((spl know) WITH (mail OR e\$1mail)) SAME (time OR (window ADJ time)) SAME threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S250	10	("5835726" "5914936").PN. OR ("6189035").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S251	2	("5835726" "5914936").PN. OR ("6189035").URPN. AND ((reduc\$4 OR decrement\$4) WITH count\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S252	2500	remov\$4 NEAR3 (time\$stamp OR stamp)	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S253	37	remov\$4 NEAR3 time\$stamp AND ((decrement\$4 OR reduc \$4 OR subtract\$4) WITH counter)	US-PGPUB; USPAT; USOCR	OR	ON	2010/02/25 19:47
S254	30	S253 AND @ad<"20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S255	9	array NEAR2 timestamp SAME2 ((compa\$4 OR remov\$4) AND counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47

S256	18	array NEAR2 timestamp SAME2 (counter OR (garbage NEAR collec\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S257	892	((database NEAR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S258	84	S257 AND (counter WITH increment\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S259	21037	((709/205,206,203) or (715/752)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/25 19:47
S260	11512	((e\$1mail OR (electronic ADJ mail)) AND S259	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S261	85	((database NEAR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP)) AND (counter WITH (increas \$4 OR increment\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S262	26	((US-20060031483-\$ or US- 20050044154-\$ or US- 20040181581-\$ or US- 20010041579-\$ or US- 20050063311-\$ or US- 20040199592-\$ or US- 20040128554-\$ or US- 20030191783-\$).did. or (US- 6868436-\$ or US-6879594-\$ or US-6965919-\$ or US- 6885872-\$ or US-6633764-\$ or US-6819932-\$ or US- 7145875-\$ or US-6400942-\$ or US-5371732-\$ or US- 6052458-\$ or US-7149778-\$ or US-6249805-\$ or US- 7359894-\$ or US-7424209-\$ or US-6189035-\$ or US- 6728738-\$).did. or (WO- 2071234-\$).did. or (US- 20050063311-\$ or WO- 200271234-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2010/02/25 19:47
S263	6	S262 AND time\$stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47

S264	3	S262 AND (timestamp SAME (remov\$4 OR delet\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S265	3	S262 AND (timestamp SAME (remov\$4 OR delet\$4)) AND timestamps	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S266	3	S262 AND (timestamp SAME (remov\$4 OR delet\$4)) AND timestamps AND (counter OR count\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S267	2014	(timestamp SAME (remov\$4 OR delet\$4)) AND timestamps AND (counter OR count\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 19:47
S268	51	(spam OR junk OR unwanted) NEAR2 (mail OR email) AND (counter WITH (source OR destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S269	94	(spam OR junk OR unwanted) NEAR2 (mail OR email OR message OR packet) AND (counter WITH (source OR destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S270	2	S267 AND S269	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/25 19:47
S271	34	Mobile ADJ "365".as	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 20:04
S272	7	RUSCHE near2 THILO.in	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/25 20:04
L9	0	((array OR stack OR queue) NEAR2 timestamp) AND (spam OR (rout\$4 NEAR3 loop)) AND counter).CLM	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/26 16:49
L10	10	((array OR stack OR queue) NEAR2 timestamp) AND (spam OR (rout\$4 NEAR3 loop)) AND counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/26 16:49
L12	12	(array OR queue OR stack OR container) NEAR2 timestamps AND (709/205,206,203 715/752).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/02/26 16:51

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
-------	------	--------------	-----	------------------	---------	------------

L1	7	{array NEAR2 timestamp SAME2 {counter OR (garbage NEAR collec\$5)}	USPAT; UPAD	OR	ON	2010/02/26 16:46
L2	36	{(database NEAR2 entry) SAME ((source OR sender OR destination OR addressee OR target) WITH (address OR identification OR IP)) AND {counter WITH (increas\$4 OR increment\$4))	USPAT; UPAD	OR	ON	2010/02/26 16:46
L7	7	{spam OR junk OR un\$1wanted) NEAR2 (mail OR e\$1mail) AND {counter WITH (source OR destination))	USPAT; UPAD	OR	ON	2010/02/26 16:48
L11	7	{((array OR stack OR queue) NEAR2 timestamp) AND (spam OR (rout\$4 NEAR3 loop)) AND counter)	USPAT; UPAD	OR	ON	2010/02/26 16:49
L13	7	{array OR queue OR stack OR container) NEAR2 timestamps AND (709/205,206,203 715/752). CCLS.	USPAT; UPAD	OR	ON	2010/02/26 16:51

2/ 26/ 2010 4:56:17 PM

C:\Documents and Settings\ymesfin1\USPTO\My Documents\EAST\Workspaces\10781913 [DUAL USE COUNTERS FOR ROUTING LOOPS AND SPAM DETECTION].wsp